

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	(misev-L\$).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:16
L2	2	(misev-L\$).in. and plasma.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:17
L3	1	(valet-A\$).in. and plasma.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:18
L4	1	(simmendinger-P\$).in. and plasma.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:18
L5	50	(jung-T\$).in. and plasma.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:18
L6	1	(jung-Tunja).in. and plasma.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 15:19
S1	3	("10158039").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 09:03
S2	2	("20020076504").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 09:59

S3	4	("2001072910").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 10:02
S4	4	("3943103").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 10:31
S5	3	("3847771").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 10:32
S6	2	("20020076504").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 10:40
S7	5	("3939126").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/06 14:07
S8	4	("3650669").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/08 14:22
S9	2	("20050129859").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/08 14:57
S10	13716	(@ad<="20020419") and (free near radical near initiator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:37

S11	4859	<p>["@ad&lt;="20020419"] and (free near radical near initiator) and (" .alpha.-hydroxyacetophenones" or ".alpha.-hydroxycycloalkylphenyl" or (1-hydroxycyclohexyl)-phenyl or "2-hydroxy-2-methyl-1-phenyl-propanone dialkoxyacetophenones" or "2,2-dimethoxy-1,2-diphenylethane-1-one" or ".alpha.-aminoacetophenones" or (4-methylthiobenzoyl)-1-methyl-1-morpholino-ethane or (4-morpholino-benzoyl)-1-benzyl-1-dimethylamino-propane or "4-aryl-1,3-dioxolanes" or "benzil dimethyl ketal" or "phenyl glyoxalates" or "dimeric phenyl-glyoxalates" or "siloxane-modified phenyl glyoxalates" or "benzophenonetetracarboxylic acid peresters" or "monoacylphosphine oxides" or "(2,4,6-trimethylbenzoyl)-phenyl-phosphine oxide" or "bisacylphosphine oxides" or "bis(2,6-dimethoxybenzoyl)-(2,4,4-trimethyl-pent-1-yl)phosphine oxide" or "bis(2,4,6-trimethyl-benzoyl)-phenyl-phosphine oxide" or "bis(2,4,6-trimethylbenzoyl)-(2,4-dipentylloxyphenyl)-phosphine oxide" or "trisacylphosphine oxides" or halomethyltriazines or "2-[2-(4-methoxy-phenyl)-vinyl]-4,6-bis-trichloromethyl-[1,3,5]triazine" or "2-(4-methoxy-phenyl)-4,6-bis-trichloro-methyl-[1,3,5]triazine" or "2-(3,4-dimethoxy-phenyl)-4,6-bis-trichloromethyl-[1,3,5]triazine")</p>	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:53
S12	377	<p>["@ad&lt;="20020419"] and ((free near radical near initiator) same (" .alpha.-hydroxyacetophenones" or ".alpha.-hydroxycycloalkylphenyl" or (1-hydroxycyclohexyl)-phenyl or "2-hydroxy-2-methyl-1-phenyl-propanone dialkoxyacetophenones" or "2,2-dimethoxy-1,2-diphenylethane-1-one" or ".alpha.-aminoacetophenones" or (4-methylthiobenzoyl)-1-methyl-1-morpholino-ethane or (4-morpholino-benzoyl)-1-benzyl-1-dimethylamino-propane or "4-aryl-1,3-dioxolanes" or "benzil dimethyl ketal" or "phenyl glyoxalates" or "dimeric phenyl-glyoxalates" or "siloxane-modified phenyl glyoxalates" or "benzophenonetetracarboxylic acid peresters" or "monoacylphosphine oxides" or "(2,4,6-trimethylbenzoyl)-phenyl-phosphine oxide" or "bisacylphosphine oxides" or "bis(2,6-dimethoxybenzoyl)-(2,4,4-trimethyl-pent-1-yl)phosphine oxide" or "bis(2,4,6-trimethyl-benzoyl)-phenyl-phosphine oxide" or "bis(2,4,6-trimethylbenzoyl)-(2,4-dipentylloxyphenyl)-phosphine oxide" or "trisacylphosphine oxides" or halomethyltriazines or "2-[2-(4-methoxy-phenyl)-vinyl]-4,6-bis-</p>	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:54

		trichloromethyl-[1,3,5]triazine" or "2-(4-methoxy-phenyl)-4,6-bis-trichloro-methyl-[1,3,5]triazine" or "2-(3,4-dimethoxy-phenyl)-4,6-bis-trichloromethyl-[1,3,5]triazine"))				
S13	135	((@ad<="20020419") and ((free near radical near initiator) with (" .alpha.-hydroxyacetophenones" or ".alpha.-hydroxycycloalkylphenyl" or (1-hydroxycyclohexyl)-phenyl or "2-hydroxy-2-methyl-1-phenyl-propanone dialkoxyacetophenones" or "2,2-dimethoxy-1,2-diphenylethan-1-one" or ".alpha.-aminoacetophenones" or (4-methylthiobenzoyl)-1-methyl-1-morpholino-ethane or (4-morpholino-benzoyl)-1-benzyl-1-dimethylamino-propane or "4-aryl-1,3-dioxolanes" or "benzil dimethyl ketal" or "phenyl glyoxalates" or "dimeric phenyl-glyoxalates" or "siloxane-modified phenyl glyoxalates" or "benzophenonetetracarboxylic acid peresters" or "monoacylphosphine oxides" or "(2,4,6-trimethylbenzoyl)-phenyl-phosphine oxide" or "bisacylphosphine oxides" or "bis(2,6-dimethoxybenzoyl)-(2,4,4-trimethyl-pent-1-yl)phosphine oxide" or "bis(2,4,6-trimethyl-benzoyl)-phenyl-phosphine oxide" or "bis(2,4,6-trimethylbenzoyl)-(2,4-dipentyloxyphenyl)-phosphine oxide" or "trisacylphosphine oxides" or halomethyltriazines or "2-[2-(4-methoxy-phenyl)-vinyl]-4,6-bis-trichloromethyl-[1,3,5]triazine" or "2-(4-methoxy-phenyl)-4,6-bis-trichloro-methyl-[1,3,5]triazine" or "2-(3,4-dimethoxy-phenyl)-4,6-bis-trichloromethyl-[1,3,5]triazine"))	US-PGPUB; USPAT; USOCR, FPRS, EPO, JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:54
S14	3	((@ad<="20020419") and ((free near radical near initiator) with (" .alpha.-hydroxyacetophenones" or ".alpha.-hydroxycycloalkylphenyl" or (1-hydroxycyclohexyl)-phenyl or "2-hydroxy-2-methyl-1-phenyl-propanone dialkoxyacetophenones" or "2,2-dimethoxy-1,2-diphenylethan-1-one" or ".alpha.-aminoacetophenones" or (4-methylthiobenzoyl)-1-methyl-1-morpholino-ethane or (4-morpholino-benzoyl)-1-benzyl-1-dimethylamino-propane or "4-aryl-1,3-dioxolanes" or "benzil dimethyl ketal" or "phenyl glyoxalates" or "dimeric phenyl-glyoxalates" or "siloxane-modified phenyl glyoxalates" or "benzophenonetetracarboxylic acid peresters" or "monoacylphosphine oxides" or "(2,4,6-trimethylbenzoyl)-phenyl-phosphine oxide" or "bisacylphosphine oxides" or "bis(2,6-dimethoxybenzoyl)-(2,4,4-trimethyl-pent-1-yl)phosphine	US-PGPUB; USPAT; USOCR, FPRS; EPO, JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:54

		oxide" or "bis(2,4,6-trimethyl-benzoyl)-phenyl-phosphine oxide" or "bis(2,4,6-trimethylbenzoyl)-(2,4-dipentyloxyphenyl)-phosphine oxide" or "trisacylphosphine oxides" or halomethyltriazines or "2-[2-(4-methoxy-phenyl)-vinyl]-4,6-bis-trichloromethyl-[1,3,5]triazine" or "2-(4-methoxy-phenyl)-4,6-bis-trichloro-methyl-[1,3,5]triazine" or "2-(3,4-dimethoxy-phenyl)-4,6-bis-trichloromethyl-[1,3,5]triazine")) and plasma				
S15	0	((@ad<="20020419") and ((free near radical near initiator) with (" .alpha.-hydroxyacetophenones" or ".alpha.-hydroxycycloalkylphenyl" or "1-hydroxycyclohexyl-phenyl" or "2-hydroxy-2-methyl-1-phenyl-propanone dialkoxyacetophenones" or "2,2-dimethoxy-1,2-diphenylethan-1-one" or ".alpha.-aminoacetophenones" or (4-methylthiobenzoyl)-1-methyl-1-morpholino-ethane or (4-morpholino-benzoyl)-1-benzyl-1-dimethylamino-propane or "4-aryl-1,3-dioxolanes" or "benzil dimethyl ketal" or "phenyl glyoxalates" or "dimeric phenyl-glyoxalates" or "siloxane-modified phenyl glyoxalates" or "benzophenonetetracarboxylic acid peresters" or "monoacylphosphine oxides" or "(2,4,6-trimethylbenzoyl)-phenyl-phosphine oxide" or "bisacylphosphine oxides" or "bis(2,6-dimethoxybenzoyl)-(2,4,4-trimethyl-pent-1-yl)phosphine oxide" or "bis(2,4,6-trimethyl-benzoyl)-phenyl-phosphine oxide" or "bis(2,4,6-trimethylbenzoyl)-(2,4-dipentyloxyphenyl)-phosphine oxide" or "trisacylphosphine oxides" or halomethyltriazines or "2-[2-(4-methoxy-phenyl)-vinyl]-4,6-bis-trichloromethyl-[1,3,5]triazine" or "2-(4-methoxy-phenyl)-4,6-bis-trichloro-methyl-[1,3,5]triazine" or "2-(3,4-dimethoxy-phenyl)-4,6-bis-trichloromethyl-[1,3,5]triazine")) and plasma	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:57
S16	1	((@ad<="20020419") and ((free near radical near initiator) with (" .alpha.-hydroxyacetophenones" or ".alpha.-hydroxycycloalkylphenyl" or "1-hydroxycyclohexyl-phenyl" or "2-hydroxy-2-methyl-1-phenyl-propanone dialkoxyacetophenones" or "2,2-dimethoxy-1,2-diphenylethan-1-one" or ".alpha.-aminoacetophenones" or (4-methylthiobenzoyl)-1-methyl-1-morpholino-ethane or (4-morpholino-benzoyl)-1-benzyl-1-dimethylamino-propane or "4-aryl-1,3-dioxolanes" or "benzil dimethyl ketal" or "phenyl glyoxalates" or "dimeric phenyl-glyoxalates" or "siloxane-modified phenyl glyoxalates" or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:57

		"benzophenonetetracarboxylic acid peresters" or "monoacylphosphine oxides" or "(2,4,6-trimethylbenzoyl)-phenylphosphine oxide" or "bisacylphosphine oxides" or "bis(2,6-dimethoxybenzoyl)-(2,4,4-trimethyl-pent-1-yl)phosphine oxide" or "bis(2,4,6-trimethyl-benzoyl)-phenyl-phosphine oxide" or "bis(2,4,6-trimethylbenzoyl)-(2,4-dipentyloxyphenyl)-phosphine oxide" or "trisacylphosphine oxides" or halomethyltriazines or "2-[2-(4-methoxy-phenyl)-vinyl]-4,6-bis-trichloromethyl-[1,3,5]triazine" or "2-(4-methoxy-phenyl)-4,6-bis-trichloro-methyl-[1,3,5]triazine" or "2-(3,4-dimethoxy-phenyl)-4,6-bis-trichloromethyl-[1,3,5]triazine"))				
S17	4	((@ad<="20020419") and (((free near radical near initiator) same ("alpha.-hydroxyacetophenones" or ".alpha.-hydroxycycloalkylphenyl" or "1-hydroxycyclohexyl-phenyl" or "2-hydroxy-2-methyl-1-phenyl-propanone dialkoxyacetophenones" or "2,2-dimethoxy-1,2-diphenylethan-1-one" or ".alpha.-aminoacetophenones" or (4-methylthiobenzoyl)-1-methyl-1-morpholino-ethane or (4-morpholino-benzoyl)-1-benzyl-1-dimethylamino-propane or "4-aryl-1,3-dioxolanes" or "benzil dimethyl ketal" or "phenyl glyoxalates" or "dimeric phenyl-glyoxalates" or "siloxane-modified phenyl glyoxalates" or "benzophenonetetracarboxylic acid peresters" or "monoacylphosphine oxides" or "(2,4,6-trimethylbenzoyl)-phenylphosphine oxide" or "bisacylphosphine oxides" or "bis(2,6-dimethoxybenzoyl)-(2,4,4-trimethyl-pent-1-yl)phosphine oxide" or "bis(2,4,6-trimethyl-benzoyl)-phenyl-phosphine oxide" or "bis(2,4,6-trimethylbenzoyl)-(2,4-dipentyloxyphenyl)-phosphine oxide" or "trisacylphosphine oxides" or halomethyltriazines or "2-[2-(4-methoxy-phenyl)-vinyl]-4,6-bis-trichloromethyl-[1,3,5]triazine" or "2-(4-methoxy-phenyl)-4,6-bis-trichloro-methyl-[1,3,5]triazine" or "2-(3,4-dimethoxy-phenyl)-4,6-bis-trichloromethyl-[1,3,5]triazine"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 12:58
S18	270	((@ad<="20020419") and (427/487.cds.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 13:16

S19	0	(@ad<="20020419") and (427/487.cds.) and photolatent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 13:16
S20	56	(@ad<="20020419") and (427/487.cds.) and photo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 13:17
S21	352	(@ad<="20020419") and (427/488.cds.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 13:18
S22	31	(@ad<="20020419") and (427/488.cds.) and photo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/09 13:18

12/9/2008 3:22:21 PM

C:\Documents and Settings\mdahimene\My Documents\EAST\Workspaces\Apl 10511578.wsp